PRINTED: 12/27/2012 FORM APPROVED

Indiana State Department of Health

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:		(X2) MULTIPLE CONSTRUCTION		(X3) DATE SURVEY COMPLETED	
		005616		A. BUILDING B. WING		C 12/20/2012	
NAME OF PROVIDER OR SUPPLIER			STREET ADD	RESS, CITY, STA	TE, ZIP CODE	12/2	0/2012
BRIDGE AT GARDEN PLAZA			8614 W 10TH ST INDIANAPOLIS, IN 46234				
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FU REGULATORY OR LSC IDENTIFYING INFORMATION			ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)		(X5) COMPLETE DATE
R 000	INITIAL COMMENTS			R 000			
	This visit was for the Investigation of Complaint IN00120466.						
	Complaint IN00120466 - Unsubstantiated due to lack of evidence.						
	Survey date: 12/20/12						
	Facility number: 005616 Provider number: 005616 AIM number: N/A						
	Survey team: Heather Lay, RN - TO	>					
	Census bed type: Residential: 86						
	Census payor type: Private: 86						
	Sample: Residential: 08						
	Bridge at Garden Plaza was found to be in compliance with 410 IAC 16.2-5 in regard to the Investigation of Complaint IN00120466.						
	Quality review comple Nunan, RN.	eted 12/21/12 by Brend	a				

Indiana State Department of Health

TITLE (X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE